Assignment #2

Date Due: November 6, 2024

Total: 100 marks

We have the following languages:

 $\begin{array}{l} L_1 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ that begin with 1010} \}, \\ L_2 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ that end with 01011} \}, \\ L_3 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having 010 a a subword} \}, \\ L_4 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having an odd number of 0's} \}, \\ L_5 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having an even number of 42's} \}, \\ L_6 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having the fifth forth symbol from the right end a 1} \}, \\ L_7 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ beginning with } \frac{22021}{12022} \}, \\ L_8 = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having the number of 1's multiple of 6} \}, \\ L_{10} = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having the number of 1's multiple of 5} \}, \\ L_{11} = \{ \text{the set of all strings over the alphabet } \{0,1,2\} \text{ having the number of 1's multiple of 7} \}, \\ L_{12} = \{ \text{the set of all strings over the alphabet } \{a,b\} \text{ having the number of b's multiple of 56} \}, \\ L_{13} = \{ \text{the set of all strings consisting of alternating groups of 1210 and 0201} \} \end{array}$

 $(1210 \text{ and } 0201 \text{ alternates at least once})\},$

and the following homomorphisms

 $h: \{a, b\} \longrightarrow \{0, 1, 2\}^*, g: \{0, 1, 2\} \longrightarrow \{a, b\}^*, h(a) = 01, h(b) = 21, g(0) = a, g(1) = ba.$ We also have the following languages computed in Assignment #1:

- 1. $L_{20} = L_1 \cap L_2$.
- 2. $L_{21} = 01011\Sigma^* \cap \Sigma^* 1010$
- 3. $L_{22} = L_{13}$
- 4. $L_{23} = L_6$
- 5. $L_{24} = L_7 \cap L_8$
- 6. $L_{25} = L_{11} \setminus L_{12}$
- 7. $L_{26} = h^{-1}(L_4)$
- 8. $L_{27} = h^{-1}(L_1^R) \cap h^{-1}(L_5)$
- 9. $L_{28} = g(L_1^R)$

- 1. (60 marks) For each of the following languages give a regular expression generating them over the alphabet $\{0, 1, 2\}$ or $\{a, b, c\}$, depending on the description of the language (10 marks each):
 - (a) L_{20}
 - (b) L_{21}
 - (c) L_{22}
 - (d) L_{23}
 - (e) L_{24}
 - (f) L_{25}
 - (g) L_{26}
 - (h) L_{27}
 - (i) L_{28}
- 2. (20 marks) Write regular expressions for the following languages over the alphabet $\Sigma = \{0, 1, 2, 3, 4, 5, 6\}$:
 - (a) the set of all strings beginning with a 1, 32 or 54, that, when the string is interpreted as an integer in base 97, is a multiple of 54 plus 21. For example:
 - strings 13,30,35,1333,1316,1613,513,563, and 55563 1,41,210,221,2061,2010, 2612, 202012,102642, and 440614 are in the language;
 - the strings 2,3,5,135,136,20, 00, 022, 0020, 37, 23, 5057, 223, 2325, 2375, 32222, 505, 22, 72, and 035 are not. 2, 4, 01, 21, 212, 610, 0221, 4062,4021,6014, and 035 are not.
 - (b) The set of all strings that ends with an 1, 32, or 54 and when the string is interpreted in reverse as an integer in base 97, is a multiple of 54 plus 21.
 - Examples of strings in the language are 31, 03, 53, 3331, 6131, 3161, 315, 365, and 36555 1,14,012,122,1602,0102,2162, 210202, 246201, and 416044.
 - Examples of strings that are not in the language are: 2,3,5,531,631,02, 00, 220, 0200, 73, 32, 7505, 322, 5232, 5732, 22223, 505, 22, 27, and 530. 2, 4, 10, 12, 212, 016, 1220, 2604, 1204, 4106, and 530.
- 3. (25 marks) Consider the DFA with the following transition table:

	0	1
$\rightarrow 0$	1	0
1	2	1
* 2	3	2
3	1	3

- (a) (10 marks) Find the equivalent regular expression using the algorithms learned in class.
- (b) (10 marks) Transform the regular expression into an ε -NFA
- (c) (10 marks) Transform the ε -NFA into a DFA.
- 4. (25 marks) Check your results with Grail+ and comment on the Grail+ experiments (another 5 marks/test(language)).